

Opticonx Xtreme™ 12-Pos. Wall Mount Patch Panel



Opticonx offers a broad range of fiber optic patch panels that support a wide variety of applications for fiber optic cable termination, splicing, patching and management. This wall mount patch panel enclosure is used in conjunction with Opticonx LGX-style Xtreme™ Modular Adapter Panels (MAPs)



**Xtreme™ WMP12P 12-Position
Wall Mount Patch Panel**

Product Features:

- ◆ Material: 16 Gauge cold rolled steel.
- ◆ Finish: Black, Epoxy powder coat, textured.
- ◆ Top & bottom keyway cable entry ports.
- ◆ Double, lockable doors.
- ◆ Internal cable management rings.
- ◆ Installation accessories included

Capacity:

- ◆ Holds up to 12 LGX-style Xtreme™ Modular Adapter Panels
- ◆ 72 FC, 144 ST or SC, 288 LC w/ MAPs
- ◆ 72 - 144 MTP® w/ MAPs
- ◆ 72 to 1,728 fibers

Applications:

- ◆ These panels are ideal for use in telecommunications rooms or other fiber entrance facilities and support the transition from backbone cabling to patch cables and/or jumper cords for connectivity to network equipment.

Proprietary and Confidential:

The information contained in this document is the sole property of Opticonx Technologies, Inc. Any reproduction in part or as a whole without the written permission of Opticonx Technologies, Inc. is prohibited.

Ordering Information

Part #: WMP12P

Specifications:

Dimensions:

16.0" High x 17.0" Wide x
7.0" Deep

Weight:

21.0 Lbs



Mounting:

The enclosure can be mounted on 3/4" plywood backer board through four (4) embossed mounting holes.

Cable Management:

Fiber optic cable management clips are installed in both the left and right side compartments.

The cable management clips and compartment size are designed to route incoming cables to the fiber adapters and cassettes and the jumpers out of the top or bottom of the box.

Cable Entry/Exit:

Cable entry holes are located on the top and bottom of the enclosure on both the backbone and jumper patching side of the unit.

Included Accessories :

- ◆ (2) 6" Cable Ties
- ◆ (4) "U" Shaped Dust Caps
- ◆ (2) 1.75" Through Hole Grommets
- ◆ (1) Port ID Label
- ◆ (1) Laser Warning Label

Proprietary and Confidential:

The information contained in this document is the sole property of Opticonx Technologies, Inc. Any reproduction in part or as a whole without the written permission of Opticonx Technologies, Inc. is prohibited.

Opticonx Xtreme™ 12-Pos. Wall Mount Patch Panel



Modular Adapter Panels (MAPs), examples:



6 x LC Duplex OM1/2



6 x SC/APC OS2 APC



6 x Angled LC Duplex OM3/4



6 x SC Duplex OM3/4



6 x LC Duplex OS2 UPC



6 x ST Duplex OS2 UPC



6 X LC Quad OM3/4



6 x 12 Fiber MTP®

Environmental:



Proprietary and Confidential:

The information contained in this document is the sole property of Opticonx Technologies, Inc. Any reproduction in part or as a whole without the written permission of Opticonx Technologies, Inc. is prohibited.