# Opticonx Xtreme<sup>TM</sup> 4-Pos. Wall Mount Patch Panel





Opticonx offers a broad range of fiber optic patch panels that support a wide variety of applications for fiber optic cable termination, splicing, patching and management. This wall mount patch panel enclosure is used in conjunction with Opticonx LGX-style Xtreme Modular Adapter Panels (MAPs)



Xtreme<sup>TM</sup> WMP04P 4-Position Wall Mount Patch Panel

## **Product Features:**

- Material: 16 Gauge cold rolled steel.
- Finish: Black, Epoxy powder coat, textured.
- Top & bottom keyway cable entry ports.
- Double, lockable doors.
- Internal cable management rings.
- Installation accessories included

# **Capacity:**

- ◆ Holds up to 4 LGX-style Xtreme<sup>TM</sup> Modular Adapter Panels
- ◆ 24 FC, 48 ST or SC, 96 LC w/ MAPs
- 24 48 MTP® w/ MAPs
- 24 to 576 fibers

# **Applications:**

 These panels are ideal for use in telecommunications rooms or other fiber entrance facilities and support the transition from backbone cabling to patch cables and/or jumper cords for connectivity to network equipment.

#### Proprietary and Confidential:

The information contained in this document is the sole property of Opticonx Technologies, Inc. Any reproduction in part or as a whole without the written permission of Opticonx Technologies, Inc. is prohibited.



## **Ordering Information**

Part #: WMP04P

## **Specifications:**

#### **Dimensions:**

12.0" High x 15.0" Wide x 3.5" Deep

## Weight:

16.0 Lbs



## Mounting:

The enclosure can be mounted on 3/4" plywood backer board through four (4) embossed mounting holes.

## **Cable Management:**

Fiber optic cable management clips are installed in both the left and right side compartments.

The cable management clips and compartment size are designed to route incoming cables to the fiber adapters and cassettes and the jumpers out of the top or bottom of the box.

## **Cable Entry/Exit:**

Cable entry holes are located on the top and bottom of the enclosure on both the backbone and jumper patching side of the unit.

#### **Included Accessories:**

- (2) 6" Cable Ties
- ♦ (4) "U" Shaped Dust Caps
- ♦ (1) Port ID Label
- ♦ (1) Laser Warning Label

#### **Proprietary and Confidential:**

The information contained in this document is the sole property of Opticonx Technologies, Inc. Any reproduction in part or as a whole without the written permission of Opticonx Technologies, Inc. is prohibited.

# Opticonx Xtreme<sup>TM</sup> 4-Pos. Wall Mount Patch Panel



# Modular Adapter Panels (MAPs), examples:



6 x LC Duplex OM1/2



6 x Angled LC Duplex OM3/4



6 x LC Duplex OS2 UPC



6 X LC Quad OM3/4



6 x SC/APC OS2 APC



6 x SC Duplex OM3/4



6 x ST Duplex OS2 UPC



6 x 12 Fiber MTP®

## **Environmental:**



#### Proprietary and Confidential:

The information contained in this document is the sole property of Opticonx Technologies, Inc. Any reproduction in part or as a whole without the written permission of Opticonx Technologies, Inc. is prohibited.